



Image

AF
1744

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Castellini, F.

)

Examiner: Beisner, W.H.

)

Serial No.: 10/004,591

)

Group Art Unit: 1744

)

Filed: 12/04/2001

)

For: APPARATUS AND METHOD FOR
DETECTING BIOFILM IN THE WATER
CONDUITS OF DENTAL UNITS

)

)

)

)

Attorney Docket No.: BUG 2 0150

)

Cleveland, Ohio

April 19, 2004

MAIL STOP AF

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT AFTER FINAL

Dear Sir:

Responsive to the final Office Action mailed November 17, 2003 and the Advisory Action mailed March 12, 2004, kindly enter the following amendments and remarks.

04/23/2004 HVUONG1 00000044 10004591

02 FC:2201

86.00 DP

CERTIFICATE OF FIRST CLASS MAILING - 37 CFR § 1.8

I hereby certify that this correspondence is being transmitted by first class mail with sufficient postage to: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

4/19/04

Date

St M. Haas

Steven M. Haas